





























- J.I. (eds). Integration of Modern Taxonomic Methods for *Penicillium* and *Aspergillus* Classification. Amsterdam: Harwood Academic Publisher.
- Pitt, J.I. 1980. The genus *Penicillium* and its teleomorphic states *Eupenicillium* and *Talaromyces*. Academic Press, London, UK. 634 pp.
- Pitt, J.I., Samson, R.A. & Frisvad, J.C. 2000. List of accepted species and their teleomorphs in the family *Trichocomaceae*. Pp. 9–47. In: Samson, R.A. & Pitt, J.I. (eds). Integration of modern taxonomic methods for *Penicillium* and *Aspergillus* classification. Amsterdam: Harwood Academic Publishers.
- Rahmani, R., Sedaghati, E., Khodaygan, P., Saberi, R. & Moradi, M. 2012. Prevalence of *Aspergillus* species in vineyards in West Azarbaijan province. *Acta Horticulturae (ISHS)* 963: 87–89.
- Samson, R.A., Yilmaz, N., Houbraken, J., Spierenburg, H., Seifert, K.A., Peterson, S.W., Varga, J. & Frisvad, J.C. 2011. Phylogeny and nomenclature of the genus *Talaromyces* and taxa accommodated in *Penicillium* subgenus *Biverticillium*. *Studies in Mycology* 70: 159–183.
- Saitou, N. & Nei, M. 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4(4): 406–425.
- Seifert, K.A., Hoekstra, E.S. & Frisvad, J.C. 2004. *Penicillium cecidicola*, a new species on cynipid insect galls on *Quercus pacifica* in the western United States. *Studies in Mycology* 50: 517–523.
- Seifert, K.A., Samson, R.A., deWaard, J.R., Houbraken, J., Lévesque, C.A., Moncalvo, J.M., Louis-Seize, G. & Hebert, P.D.N. 2007. Prospects for fungus identification using CO1 DNA barcodes, with *Penicillium* as a test case. *Proceedings of the National Academy of Sciences, USA* 104: 3901–3906.
- Serra, R. & Peterson, S.W. 2007. *Penicillium astrolabium* and *Penicillium neocrassum*, two new species isolated from grapes and their phylogenetic placement in the *P. olsonii* and *P. brevicompactum* clade. *Mycologia* 99(1): 78–87.
- Stolk, A.C. & Samson, R.A. 1971. Studies on *Talaromyces* and related genera I. *Hamigera* gen. nov. and *Byssochlamys*. *Persoonia* 6: 341–357.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M. & Kumar, S. 2011. MEGA v5: molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance and maximum parsimony methods. *Molecular Biology and Evolution* 28: 2731–2739.
- Visagie, C.M. 2008. Biodiversity in the genus *Penicillium* from coastal fynbos soil. MSc thesis, Stellenbosch University, 200 pp, South Africa.
- Visagie, C.M., Houbraken, J., Frisvad, J.C., Hong, S-B., Klaassen, C.W., Perrone, G., Seifert, K.A., Varga, J., Yasuda, T. & Samson, R.A. 2014. Identification and nomenclature of the genus *Penicillium*. *Studies in Mycology* 78: 343–371.
- Wang, L. & Zhuang, W.Y. 2007. Phylogenetic analyses of penicillia based on partial calmodulin gene sequences. *BioSystems* 88: 113–126.
- Won, K.K., Hyun, K.S., Sung, K.W., Myung, S.P., Narayan, C.P. & Seung, H.Y. 2007. Six species of *Penicillium* associated with blue mold of grape. *Mycobiology* 35(4): 180–185.
- Yilmaz, N., Visagie, C.M., Houbraken, J., Frisvad, J.C. & Samson, R.A. 2014. Polyphasic taxonomy of the genus *Talaromyces*. *Studies in Mycology* 78: 175–341.